

1980

A Look at Copper

Erwin Richter

University of Northern Iowa

Follow this and additional works at: <https://scholarworks.uni.edu/istj>



Part of the [Science and Mathematics Education Commons](#)

Let us know how access to this document benefits you

Copyright © Copyright 1980 by the Iowa Academy of Science

Recommended Citation

Richter, Erwin (1980) "A Look at Copper," *Iowa Science Teachers Journal*: Vol. 17 : No. 2 , Article 5.

Available at: <https://scholarworks.uni.edu/istj/vol17/iss2/5>

This Article is brought to you for free and open access by the Iowa Academy of Science at UNI ScholarWorks. It has been accepted for inclusion in Iowa Science Teachers Journal by an authorized editor of UNI ScholarWorks. For more information, please contact scholarworks@uni.edu.

A LOOK AT COPPER

Erwin Richter

Department of Chemistry


University of Northern Iowa

Cedar Falls, Iowa 50613

The study of copper and its compounds is among the more aesthetically pleasing aspects of chemistry. Copper compounds range in color from white to black, and include virtually all colors of the visible spectrum. The following exercise is designed to explore some of the chemical properties of copper and copper compounds.

STEP I

Scrap pieces of electrical wire provide an excellent, inexpensive and reasonably pure form of copper. Dissolve 10-15 cm of copper wire in 6 M nitric acid (HNO_3) under a fume hood. Yellowish-orange colored NO_2 gas produced in this reaction is quite poisonous and should not be breathed. The unbalanced equation for this reaction is:





Concentrated HNO_3 (15 M) will hasten the solution process. However, great care must be exercised in handling nitric acid of this concentration. It is a very strong oxidant and is extremely corrosive. It reacts with protein to produce yellow-colored compounds, thus explaining the yellow color of skin that has been exposed to nitric acid.

A drop or two of the blue solution that results from this reaction can be placed on a microscope slide, allowed to dry and examined with a hand lens to observe crystal structures.

STEP II

Treat the solution formed in Step I by first adding 15-20 ml distilled water and then adding 6 M NaOH until the solution is basic (red litmus turns blue). Care must be taken here to make sure that one is observing a blue color in the litmus paper and not the blue color of the copper hydroxide on the litmus paper. This reaction must be kept cool or black copper oxide will form. The equations for the reactions are:




As in Step I, a little of the precipitated material can be set aside for study of the crystalline structure of the material.

STEP III

Allow the precipitate from Step II to settle and decant the liquid. The precipitate should be washed twice more with 15-20 ml distilled water and decanted each time.

To the washed precipitate add 2 M sulfuric acid (H_2SO_4) dropwise until the precipitate just dissolves. The equation for the reaction is:



or



Again, as in Steps I and II, several drops of the resulting solution can be dried for examination of copper sulfate crystals.

STEP IV

At this point the solution is again made basic with 6 M NaOH. To the basic solution add 10 ml of 1 M sodium phosphate (Na_3PO_4) solution. Stir well and examine the crystal structure of the precipitate as before. The equation for the reaction is:



Test the solution at this point to make sure that it is basic. If necessary, add 6 M NaOH dropwise, stirring after each addition until the solution shows basic to litmus.

Pre-weigh a piece of filter paper and filter the mixture. Wash three times with 10-15 ml distilled water. Discard the filtrate. Dry and weigh the residue. Determine the percent yield, keeping in mind that 63.5 g copper should form 126 g of $\text{Cu}_3(\text{PO}_4)_2$.

* * *

Chemsmiles

A brightly-colored collection of slogans on seven different shirts, and 20 stickers for introductory chemistry are now available. Humorous and provocative, the slogans will add interest to your classes, displays, doors, books, bumpers, boxes, cabinets, walls and windows. For an illustrated list write to R.J. Friesen, P.O. Box 411, Waterloo, On, Canada N2J 4A9.